

澳門四高校聯合入學考試（語言科及數學科）

**Joint Admission Examination for Macao Four Higher Education Institutions
(Languages and Mathematics)**

**2023 年試題及參考答案
2023 Examination Paper and Suggested Answer**

數學附加卷 Mathematics Supplementary Paper

1.

1.1

22

1.2

2.

3.

4.

5.

6.

7.

8.

9.

Instructions:

1. Each candidate is provided with the following documents:
 - 1.1 Question paper including cover page 22 pages
 - 1.2 One sheet of draft paper
2. Fill in your JAE No., campus, building, room and seat no. on the front page of the examination paper.
3. There are 5 questions in this paper, each carries 20 marks. Answer any 3 questions. Full mark of this paper is 60.
4. Put your answers in the lined pages provided. Answers put elsewhere will not be marked.
5. Show all your steps in getting to the answer. Full credits will be given only if the answer and all the steps are correct and clearly shown.
6. The diagrams in this examination paper are not drawn to scale.
7. Calculators of any kind are not allowed in the examination.
8. Answer the questions with a blue or black ball pen.
9. Candidates must return the question paper and draft paper at the end of the examination.

Answer any 3 questions, each carries 20 marks. Write down the answers on the 3 lined pages following each question.

1.

- $E-ABCD$ $ABCD$ — —
- F BC G E DF —
-
- (a) — [:] (8)
- (b) EG $ABCD$ [:] (7)
- (c) (5)
- In the above figure, $E-ABCD$ is a pyramid, its base $ABCD$ is a rhombus,
-

2. (a)
- (i) (2)
- (ii) $f(x)$ (3)
- (iii) (2)
- (iv) (i) (iii) (3)
- (b) 3 A
- (i) A (4)
- (ii) (6)

- (a) Given function .
- (i) Find and . (2 marks)
- (ii) Find the local maximum and local minimum values of (3 marks)
- (iii) Find the inflection point(s) of the curve . (2 marks)
- (iv) Using the results in (i) (iii), sketch the curve (3 marks)
- (b) Given that the line is a tangent line of the curve 3 at point A.
- (i) Find the point A. (4 marks)
- (ii) Find the area of the region bounded by the line and the curve . (6 marks)

$$3. \qquad E: \text{---} \quad \text{---} \qquad E \qquad \qquad \qquad L_1 \quad L_2 \qquad A$$

4.

(a)

(8)

(b) (i)

and

(5)

(ii) (i)

tan

(7)

Let .

(a) Let , where x and y are real numbers. If satisfies the equation

, find the value of .

(8 marks)

(b) (i) Using E theorem, show that

and

Deduce that .

(5 marks)

(ii) Using the result in (i), solve the equation .

Express your answer in terms of tan.

(7 marks)

5. (a) (i)

$$\cos \frac{\pi}{4} \sin \frac{\pi}{4}$$

$$\sin \frac{\pi}{4} \sin \frac{\pi}{4} \quad (4 \text{ marks})$$

(ii) (6 marks)

(b) $\frac{\partial}{\partial x} (x^2 y + z)$

—

(10 marks)

(a) (i) Given the formulas

and

.


Deduce that

$$\cos \frac{\pi}{4} \sin \frac{\pi}{4} \text{ and}$$


$$\sin \frac{\pi}{4} \sin \frac{\pi}{4} . \quad (4 \text{ marks})$$

(ii) Prove the identity


1. (a) $F \quad BC$



(b)




(c) $F \quad BC$
 AG



2. (a)(i)

(ii)

(iv)



(b)(i) L $\frac{1}{L}$ A — C A
 , L C

(ii) ((i))
 ,

— —

3. (a)(i) — —

E (1) 0 (1)
[

(ii) (2) (2)
(3) — — (3)

(b) —
 A

Figure 1 illustrates the experimental design. The process begins with a 'Stimulus' (a word) being presented. This is followed by a 'Response' (a button press). The response is then followed by a 'Feedback' (a green or red light). The feedback is then followed by a 'Reward' (a coin). The entire sequence is part of a 'Task'.

— — — — —

5. (a)(i)

_____	_____	_____	_____				
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____						
_____	_____	_____	_____				
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____						

(a)(ii)

(b)

(a)(ii)

Suggested Answers:

1. (a) From F is the midpoint of BC and \overline{AF} , we get $\overline{BF} = \overline{CF}$ and $\angle BFA = \angle CFA$.
 Then, $\triangle BFA \cong \triangle CFA$.
 From $\triangle BFA \cong \triangle CFA$ and $\overline{BF} = \overline{CF}$, we get $\triangle BFA$ is equilateral. So, $\angle BFA = 60^\circ$.
 From F is the midpoint of BC and \overline{AF} , we get $\triangle CFA$ is equilateral. So, $\angle CFA = 60^\circ$.
 Then, $\angle BFC = 120^\circ$.
 Hence, $\triangle BFC$ is isosceles.
- (b) In $\triangle ABC$, $\overline{AB} = \overline{AC}$ and $\angle B = \angle C$.
 In $\triangle ABC$, $\overline{AB} = \overline{AC}$ and $\angle B = \angle C$.
 In $\triangle ABC$, $\overline{AB} = \overline{AC}$ and $\angle B = \angle C$.
 Since $\angle B = \angle C$, we have $\triangle ABC$ is isosceles.
 From $\triangle ABC$ and $\triangle ABC$, we get $\triangle ABC$ is isosceles.
- (c) From F is the midpoint of BC and \overline{AF} , we get $\overline{BF} = \overline{CF}$ and $\angle BFA = \angle CFA$.
 Join A and G . Since $\overline{AG} = \overline{AG}$, we have $\triangle AGF \cong \triangle AGF$.
 Since $\triangle AGF \cong \triangle AGF$, we have $\angle AGF = \angle AGF$.
 we have $\angle AGF = \angle AGF$.
 Hence, $\triangle AGF$ is isosceles.

ac(e)6i()) TJET BF 9 12 Tf1 0 0 1 105.62 340.95 Tm[0421} TJET BF 9 8.52 Tf1 0 0 1 142.94 3452 TmJET1
 (((((() TJET EM P MID 48>BC B1 0 0 1 402.24 298.95 Tm[W)] TJET EM P MID 49>BC B1 0 0 1 143.42

(iv)

(b)(i) The slope of line L is 1. At A ,

(c) For let be the slope of , where $-$ $-$.

As , we have $-$ and $-$.

Suppose the angle between and is , where $-$. Then,

$$\frac{\text{---}}{\text{---}} = \frac{\text{---}}{\text{---}}$$

Hence, the angle between and is --- .

4. (a)

$$\begin{aligned} \text{---} \\ \text{---} \end{aligned}$$

From the second equation, --- . Solving the first equation with --- , we have

Hence, --- .

(b) (i)

Comparing the real and imaginary parts, we get
and

Hence,

$$\text{---} = \text{---}$$

(ii) Let , $-$ $-$. Then,

5. (a)(i)

$$\begin{array}{cccccccc}
 _ & _ & & _ & _ & & & \\
 _ & _ & & _ & _ & & _ & _ \\
 _ & _ & & & & & & \\
 \\
 _ & _ & & _ & _ & & & \\
 _ & _ & & _ & _ & & _ & _ \\
 _ & _ & & & & & &
 \end{array}$$

(a)(ii)

(b) Since the system of equations has more than one solution, using the result in (a)(ii), we have

As $_$, we have $_$ or $_$ or $_$.

If $_$ or $_$, the second equation becomes $_$, from which we know that the system of equations has no solution. Hence, $_$ and $_$.

When $_$ the system of equations becomes $_ _ _ _$.

Solving $_ _ _ _$, we get $_ , _$.