



/

dryrun2502@163.com

0830-2583739

0830-3163866

1

2006-2009 / /

2003-2006 / /

1996-2001 / /

2001. 9- 2005. 7 / /

2006. 9- 2009. 7 / /

2010. 9- 2012. 11 / / / /

2012. 12- 2013. 10 / /

2013.11- / /

* +

[01] Feng C, He K, Zhang C, Su S, Li B, Li Y, Duan CY, Chen S, Chen R, Liu Y, Li H, Wei M, Xia X, **Dai R*** (). JNK Contributes to the Tumorigenic Potential of Human Cholangiocarcinoma Cells through the mTOR Pathway Regulated GRP78 Induction. *PLoS One*.

Chen, Mei Wei, **Hong Li***(), Unfolded Protein Response Suppresses Cisplatin-induced Apoptosis via Autophagy Regulation in Human Hepatocellular Carcinoma Cells. *Folia Biol (Praha)*. 2011;57(3):87-95. (IF:1.101, :23)

[09]Liu Y, Liu P, **Dai R**()⁺, Wang J, Zheng Y, Shen J, Guo F, Wang L, Li H, **Wei M***(). Analysis of plasma proteome from cases of the different traditional Chinese medicine syndromes in patients with chronic hepatitis B. *J Pharm Biomed Anal*. 2012;59:173-8. (IF:2.967, :11)

[10]**Rongyang Dai**(), Juan Li, Youping Liu, Dongmei Yan, Shaokun Chen, Chunyan Duan, Xiaoyan Liu, Tao He, **Hong Li***(). MiR-221/222 suppression protects against endoplasmic reticulum stress-induced apoptosis via p27^{Kip1}- and MEK/ERK-mediated cell cycle regulation. *Biol Chem*. 2010;391(7):791-801. (IF:2.683, :28)

[11]**Rongyang Dai**(), Shaokun Chen, Dongmei Yan, Run Chen, Youping Liu, Chunyan Duan, Juan Li, Tao He, **Hong Li***(). PI3K/Akt promotes GRP78 accumulation and inhibits endoplasmic reticulum stress-induced apoptosis in HEK293 cells. *Folia Biol(PRAHA)*. 2010;56(2):37-46. (IF:1.101, :15)

[12]**Rong-Yang Dai**(), Yao Chen, Jing Fu, Li-Wei Dong, Yi-Bin Ren, Guang-Zhen Yang, You-Wen Qian, Jie Cao, Shan-Hua Tang, Sheng-Li Yang and **Hong-Yang Wang***(). p28^{GANK} inhibits endoplasmic reticulum stress-induced cell death via enhancement of the endoplasmic reticulum adaptive capacity. *Cell Res*. 2009;19(11):1243-57. (IF:10.526, :26)

[13]**Dai R**(), Chen R, **Li H***(). Cross-talk between PI3K/Akt and MEK/ERK pathways mediates endoplasmic reticulum stress-induced cell cycle progression and cell death in human hepatocellular carcinoma cells. *Int J Oncol*. 2009;34(6):1749-57. (IF:2.657, :51)

[14]Zhang HL, Yu LX, Yang W, Tang L, Lin Y, Wu H, Zhai B, Tan YX, Shan L, Liu Q, Chen HY, **Dai RY**(), Qiu BJ, He YQ, Wang C, Zheng LY, Li YQ, Wu FQ, Li Z, Yan HX, **Wang HY***(). Profound impact of gut homeostasis on chemically-induced pro-tumorigenic inflammation and hepatocarcinogenesis in rats. *J Hepatol*. 2012;57(4):803-12. (IF:9.858, :9)

[15]Cao J, Chen Y, Fu J, Qian YW, Ren YB, Su B, Luo T, **Dai RY**(), Huang L, Yan JJ, Wu MC, Yan YQ,

Wang HY*(). High Expression of Proline-Rich Tyrosine Kinase2 is Associated with Poor Survival of Hepatocellular Carcinoma via Regulating Phosphatidylinositol 3-Kinase/AKT Pathway. *Ann Surg Oncol.* 2013; 20(Suppl 3):S312-23. [Epub ahead of print] (IF:4.12, :3)

[16]Qian YW, Chen Y, Yang W, Fu J, Cao J, Ren YB, Zhu JJ, Su B, Luo T, Zhao XF, Dai RY(), Li JJ, Sun W, Wu MC, Feng GS, Wang HY*(). p28^{GANK} prevents degradation of Oct4 and promotes expansion of tumor-initiating cells in hepatocarcinogenesis. *Gastroenterology.* 2012;142(7):1547-58. (IF:12.821, :13)

[17]Li-wei Dong, Guang-zhen Yang, Yu-fei Pan, Yao Chen, Ye-xiong Tan, Rong-yang Dai(), Yi-bin Ren, Jing Fu, Hong-yang Wang*(). The oncoprotein p28^{GANK} establishes a positive feedback loop in β -catenin signaling. *Cell Res.* 2011;21(8):1248-61. (IF:10.526, :17)

[18] , , , , , , , * . 2a
, 2013;21(04):290-4. (Medline)

2015-2018 :

2al pha

2013-2015 :

Dorsomorphin

2012-2012 : UPR

2011-2014 :

2011-2013 : A1/A2